







BASE TYPE (F) 3000x3000x2000 THK.
COLUMN: 1000x1000
S12/47




BASE TYPE (F) 3000x3000x2000 THK.
COLUMN: 1000x1000
S12/53




BASE TYPE (M) 2250x2250x1000 THK.
COLUMNS: 2/400x800
S10/45a-45b & S10/43a-43b




BASE TYPE (M) 2250x2250x1000 THK.
COLUMNS: 4/400x400
S10/41a-41b-41c-41d




BASE TYPE (L) 3750x3750x1000
COLUMN: 1260Ø
S14/45, S14/43, S13/45 & S13/43




BASE TYPE (L) 3750x3750x1000
2/ HALF ROUND COLUMNS: 1260Ø
S14/41a-41b & S13/41a-41b




SECTION A-A




SECTION C-C




SECTION E-E




SECTION G-G




SECTION J-J




SECTION L-L




SECTION B-B




SECTION D-D




SECTION F-F




SECTION H-H




SECTION K-K




SECTION M-M




BASE TYPE (N) 2000x2000x1000 THK.
DOUBLE COLUMNS: 2/400x800
S12/41a-41b & S11/41a-41b




SECTION N-N




SECTION P-P



BASE TYPE (N) 2000x2000x1000 THK.
COLUMN: 750x750
S12/45, S12/43, S11/45 & S11/43



SECTION Q-Q



SECTION R-R

COVER:
BASES: 50 (ALL SIDES)
COLUMNS: 30 (U.N.O)
LAP LENGTH: 50 x DIA.



STRUCTURAL
ENGINEERING
SERVICES

SOUTH AFRICA
info@ayabe.co.za

CLIENT
LOGO

IMPOSED FLOOR LOADINGS (kN/m²)				
Floor Zone	Floor Finish	Partition Walls	Live Load	Total

COPYRIGHT IS VESTED IN THIS DRAWING AND NO USE OR REPRODUCTION OR DUPLICATION THEREOF MAY OCCUR WITHOUT THE WRITTEN CONSENT OF THE OWNERS

REVISIONS:			
No	Description	By	Date
1	ISSUED FOR CONSTRUCTION	NN	28.10.19

DISCLAIMER:
IF CONSTRUCTION DRAWINGS ARE ISSUED UNSIGNED, THE MASTER WITH THE ORIGINAL SIGNATURE OF APPROVAL WILL BE HELD AT THE OFFICE OF THE APPROVER

SCALE	SIZE
1:50	A1
DRAWN BY:	J.P
DESIGNED BY:	A.K
CHECKED BY:	N.N

ISSUED FOR
CONSTRUCTION

APPROVED BY: _____
DATE

N.N

PROJECT DESCRIPTION:	
DRAWING DESCRIPTION:	SECTION 1A FOUNDATION LEVEL AT LEVEL 101.730 RC FOOTINGS REINFORCEMENT DETAILS
DRAWING NUMBER:	12033 - 001A - DRG - ST - 3001 - REV 0